

## 11-21-16

WINDOW SCHEDULE					INSTALLED AND FURNISHED BY: G.C. UNLESS NOTED OTHERWISE	NOTES
SYM	WIDTH	HEIGHT	GLASS	FRAME	REMARKS	
(A)	17'-6"	10'-0"	1" INSULATED GLASS	DARK BRONZE ALUMINUM STOREFRONT	1" INSULATED GLAZING, IN 4.5" X 2" IN ANODIZED ALUMINUM FRAME	1. INSULATING GLASS PPG SOLARBAN 60 LOW E. WINTER U=0.25 SHGC: 0.39 VIS TRANS: 83% UV ENERGY: 46% 2. DOORS: FULL GLAZED DOORS W/10" KICK BASE, COLOR DARK BRONZE ANODIZED ALUM FINISH. REFER HARDWARE SCHEDULE.
(B)	19'-3"	10'-0"	1" INSULATED GLASS	DARK BRONZE ALUMINUM STOREFRONT	1" INSULATED GLAZING, IN 4.5" X 2" IN ANODIZED ALUMINUM FRAME	3. WINDOW DIMENSIONS ARE FOR BIDDING PURPOSES ONLY. G.C. TO VERIFY ACTUAL WINDOW DIMENSIONS PRIOR TO FABRICATION INSTALLATION.
(C)	7'-0"	8'-2"	1" INSULATED GLASS	DARK BRONZE ALUMINUM STOREFRONT	1" INSULATED GLAZING, IN 4.5" X 2" IN ANODIZED ALUMINUM FRAME	4. GLASS FACADE AND ENTRY DOORS TO BE DESIGNED, DETAILED, FACTORY FABRICATED AND SITE ASSEMBLED AND ERECTED.
(D)	5'-7"	10'-0"	1" INSULATED GLASS	DARK BRONZE ALUMINUM STOREFRONT	1" INSULATED GLAZING, IN 4.5" X 2" IN ANODIZED ALUMINUM FRAME	5. MANUFACTURER: QUIK-SERV, MODEL SST-4860E WITH THRU-BEAM PHOTO-ELECTRIC BAR. REGIONAL APPLICATION WITH CF-25 NON HEATED AIR CURTAIN. TYPE OF AIR CURTAIN LISTED ON WINDOW SCHEDULE.
(E)	7'-3 3/4"	59.5'	TEMPERED GLASS	DARK BRONZE ANODIZED ALUMINUM	QUIK-SERV (NON HEATED AIR CURTAIN), ROUGH OPENING 48" X 60" SEE ADDITIONAL NOTE # 5. CONTACT: STEVE BERT, 800-388-8307	6. WINDOW SYSTEM SHALL COMPLY WITH APPLICABLE SECTION AND CHAPTER OF BUILDING CODE. ① TEMPERED GLASS



---

3

Scale= NTS A-200



---

2

Scale= 1/4" = 1'-0'

A-200
-------




B.O. CAP  
3' 0" A.F.F.

FINISH FLOOR  
0'-0" A.F.F.

## 1

Scale= 1/4" = 1'-0" **A-200**



All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

## ISSUE DATE:

\_\_\_\_\_

DRAWN BY: ZNR

PANDA PROJECT #: - S8-18-D5305

C&P PROJECT #: - 2170279



P (407) 661-9100

F (407) 661-9101  
 4444 44 44

Florida Corporate Certificate #AA 09

---

TRUE WARM AND WELCOME  
205 ATHENS HIGHWAY  
LOGANVILLE, GA 30052

# A-200

## EXTERIOR ELEVATIONS

TRUE WARM &amp; WELCOME 2200